



Call us
+91 9890722751

SK® **S.k Petrochem**
Feel Its Power, Quality You Can Count On



Automotive Lubricants

Automotive lubricants are used in a car's transmission, engine, chassis, gears, and seals to ensure optimal performance of the components. Lubricants like oil and grease reduce friction between different moving parts, easing wear and prolonging the life of the vehicle.



Industrial Lubricants

Industrial lubricants are oils, fluids, greases, and other compounds that reduce friction, binding, wear, or exclude moisture. Their primary function is to displace solid surfaces with a fluid film. They are otherwise used to modify surface properties, regulate temperature, or remove debris.



Grease

Grease consists of an oil and/or other fluid lubricant that is mixed with a thickener, typically a soap, to form a solid or semisolid. Greases are a type of shear-thinning or pseudo-plastic fluid, which means that the viscosity of the fluid is reduced under shear.

Old Actual Compound, C-1
 Vadavali Taluka Wada Palghar,
 Kudus Kondale Road- 421303

+91 9890722751

www.skpetrochem.co.in
petrochemsk@gmail.com





S.k Petrochem

Feel Its Power, Quality You Can Count On

Contents



Automotive

*Diesel Engine Oil
Petrol Engine Oil
CNG Engine Oil
Motorcycle Oil
Transmission Oil
Automotive Gear Oil*



Industrial

*Gear Oil
Hydraulic Oil
Compressor Oil*



Greases

*Auto & Industrial Greases
Specialty Greases*



S.k Petrochem
Feel Its Power, Quality You Can Count On

About Us

S.k Petrochem

Established in the year 2012, We, "SK Petrochem" are efficient manufacturer, trader and wholesaler of a quality assure assortment of Engine Oils. Our provided range of oils consists of optimum quality Hydraulic Oil, Car Engine Oil, Bike Engine Oil, Greases etc. Offered engine oils are made from finest quality components by our well qualified professionals as per the industry approved parameters. All the offered range for this product is manufactured at our well designed processing unit by employing progressive production methods. For their superior quality and longer shelf life, these oils are widely applicable in various capacity engines to lubricant them effectively. Apart from this to suit the varied demands of our client base, we are offering these products in various packaging options. We are deal in our own brand name "S.K".

To cater the bulk order requirements of the offered oils, we have developed a highly efficient infrastructure unit at our premises. With the help our well equipped and designed infrastructure facility, we are manufacturing the offered range of products in such a rate that able deliver bulk orders on time to our respected clients. To handle all our business related operations in best possible manner, we have hired a team of well qualified professionals. These professionals are working with full dedication towards their assigned works and thus we are growing in this domain. We also have a team of highly skilled quality professionals to ensure the quality and performance of the offered products. Owing to these factors, we are one of the best resources of the offered products.

Automotive

Industrial

Greases

**SK 4T PLUS+
MOTORCYCLE OIL**



**SK HIGH MILEAGE
5W30 & 5W40**



**SK DIESEL
ENGINE OIL**



**PREMIUM 4T OIL
FOR ALL TYPES
OF MOTORCYCLES
MEETING API
SJ, JASO MA2**

**A SUPER-PREMIUM
SYNTHETIC
PETROL & DIESEL
ENGINE OIL
MEETING API
SERVICE SM**

**SUPER LONG DRAIN
14 TBH
DIESEL ENGINE OIL
MEETING API
SERVICE CF/CF4**



**SK 4T PLUS+
MOTORCYCLE OIL 20W40**



**SK PCMO
(PASSENGER CAR MOTOR OIL)
5W30 & 5W40**



**SK DIESEL
ENGINE OIL 15W40**



HD



SK SUPER TURBO CH-4 15W-40

Diesel engine oil compatible for BS III To BS V design engines of three wheelers Piaggio, mini trucks TATA Ace, Ashok Leyland Dost & multi utility vehicles like TATA Sumo, Mahindra Xylo etc,

- Perfect for high temperature operation in air cool diesel engines of Light commercial vehicles,
- Excellent deposit control on turbocharger drive shaft
- Clean piston groove, valve seats

Pack Sizes: 210Ltr, 20Ltr, 15Ltr, 10Ltr, 7.5Ltr, 5Ltr, 3Ltr, 1Ltr, 500ML



SK SUPER PUMP SET OIL 20W-40

SK SUPER PSO is blended from mineral base oils and combination of anti-oxidant, anti-wear and anti-foam additives to meets the lubrication requirement of agriculture pump set.

Specification:

- Lubrication of bearings and cylinders of diesel engines where operating conditions require high detergency type engine oil.
- Ideal of slow, medium and high speed stationary diesel engines equipped on agricultural pump house.

Pack Sizes: 210Ltr, 20Ltr, 7.5Ltr, 5Ltr, 3.5Ltr, 1Ltr, 500ML



SK SUPER UTTO WET BRAKE OIL

SK SUPER is a Universal Oil, designed with special additives to keep Tractor's Wet Brake cool & noise free; it works as a Hydraulic fluid for lifting mechanism operation, has excellent gear protection properties and is thus 3 in 1 oil.

OEM Level Approval: Massy Fergusson M-1145, John Deere J-20D, Case New Holland and MAT 3505 & 3525, Volvo VCE 1273.03

Pack Sizes: 210Ltr, 20Ltr, 7.5Ltr, 5Ltr, 1Ltr

SK SUPER TURBO CF-4 SAE 15W40

Pack Sizes: 210Ltr, 20Ltr, 15Ltr, 10 Ltr, 7.5Ltr, 5Ltr, 3Ltr, 1Ltr, 500ML

SK SUPER CF-4 SAE 20W-40

Pack Sizes: 210Ltr, 20Ltr, 15Ltr, 10 Ltr, 7.5Ltr, 5Ltr, 3Ltr, 1Ltr, 500ML

Synthetic Series



SK SUPER API SN SAE 5W-40

SK SUPER oil meets the requirements of modern generation motor Oils. Good viscosity index, good detergency level and excellent oxidation stability provides proper viscosity through a wide range of engine temperature.

- SK SUPER oil enhances Wear Protection;
- Reduce oil consumption;
- Reduce engine deposits;
- Include quick engine start.

OEM Level Approval: SN

Pack Sizes: 210Ltr, 4Ltr, 3.5Ltr, 1Ltr

MCO Series



SK SUPER 4T PLUS+ SAE 2W0-40

Superior engine heat dissipation formula designed for air cooled motorcycle and scooter engines, All Japanese and Indian motorcycles & scooters with wet clutch design

OEM Level Approval: JASO MA 2

Pack Sizes - 210Ltr, 50Ltr, 26Ltr, 1Ltr, 900ml

Dynoflo Series



SK SUPER GEAR GL-5 SAE 80W-90

Recommended for: Transmission gear boxes of: TATA 1613, LPT 1613, LPT 2518, LPK 2518, Prima 2528 K, Ashok Leyland 2518, 2523, 3518, 4923 Eicher Pro 1059, 3015 Volvo FH 16

Benefits: • Thermal stability • Oxidation stability • Spur and helical gear
• No foam • No pitting • Compatible to a variety of plastics and polymers used in transmission cases.

Pack Sizes: 210Ltr, 20Ltr, 5Ltr, 1Ltr, 500ML



SK SUPER GEAR GL-4 SAE EP-90/140

Recommended for: Transmission gear boxes of: TATA 1613, LPT 1613, LPT 2518, LPK 2518, Prima 2528 K, Ashok Leyland 2518, 2523, 3518, 4923 Eicher Pro 1059, 3015 Volvo FH 16

Benefits: • Thermal stability • Oxidation stability • Spur and helical gear
• No foam • No pitting • Compatible to a variety of plastics and polymers used in transmission cases.

Pack Sizes: 210Ltr, 20Ltr, 5Ltr, 1Ltr, 500ML



SK SUPER HYD AW 68

As an anti-wear hydraulic and circulating oil specially formulated for efficient lubrication of industrial equipment.

Specification:

- ISO VG 68 Grade.
- Meets IS 10522-1983 (Reaffirmed 2004) specification.

Benefits:

- Long service life due to excellent resistance to oxidation.
- Protects against rust & corrosion.
- Provides good wear protection.

Pack Sizes: 210Ltr, 26 Ltr, 20Ltr, 5Ltr

flostick Series



SK SUPER MP-3/AP-3 GREASE

Anti-friction ball and roller bearings of all automotive wheel applications in trucks, tractors , cars, 3W, 2W . Grease of Lithium, is able to deliver service life of 40,000 kms* in long haul trucks

Pack Sizes: 180Kg, 18Kg, 5Kg, 1Kg, 500Gm, 250Gm, 100Gm

Transmission



SK SUPER TRANSMISSION OIL TQ

SK SUPER is a Universal Transmission Oil, designed with special additives to keep Wet Brake cool & noise free; protection properties and is thus 3 in 1 oil.

OEM Level Approval: Massy Fergusson M-1145, John Deere J-20D, Case New Holland and MAT 3505 & 3525, Volvo VCE 1273.03

Pack Sizes: 210Ltr, 20Ltr, 5Ltr, 1Ltr, 500ML

Engine Coolant



SK SUPER CONCENTRATE HD COOLANT

Suitable for use in Petrol , Diesel, LPG & CNG Engines used in cars, trucks, tractors and generators,

- Suitable for use till 0°C only, • Excellent corrosion protection of entire cooling system containing multi-metal components of aluminium, cast iron, brass and other metals
- Recommended to change after 60,000 kms of use

Pack Sizes: 210Ltr, 20Ltr, 5Ltr, 3Ltr, 1Ltr, 500ML

Compressor



SK SUPER COMPRESSOR OIL

Compressor Oil has been formulated from highly refined paraffinic base oils and high performance additives to provide outstanding lubrication in a variety of rotary and reciprocating air compressors.

All ISO viscosity grades are formulated with outstanding oxidation performance, wear protection, resistance to rust and corrosion, rapid water separation and foam control.

Pack Sizes: 210Ltr, 50Ltr, 20Ltr, 10Ltr, 1Ltr



INDUSTRIAL LUBRICANTS

- ◆ SK SUPER HYD (AW)
- ◆ SK SUPER HYDRO POWER (HLP)
- ◆ SK SUPER HYD ECO FLO (HVLP)
- ◆ SUPER CUT (NEAT & SOLUBLE)
- ◆ SK SUPER THERM
- ◆ SK SUPER GEAR OIL
- ◆ SK SUPER EP GREASE



S.k Petrochem

Feel Its Power, Quality You Can Count On

C-1, Old Actual Compound, Kudus Kondale Road,
Vadavali, Taluka: Wada Dist: Palghar- 421303

+91 9890722751 ✉ petrochemsk@gmail.com

🌐 www.skpetrochem.co.in